

SINK TRAP

Sink trap Ø40. **AIR SYSTEM**: eliminates odours and noise in the pipes.
ZERO LEAKS: seals built in to the trap.
INSTANT CONNECTION: 100% watertight.
EASY CLEANING: removable cup strainer.
 Height adjustable: 175 to 235 mm.
 Depth of seal: 80mm.
 Flow rate: 59,9L/mn



WIRQUIN 11 rue du Château de Bel Air 44482 Carquefou
 Cedex FRANCE • WIRQUIN LTD Unit 3, Alpha Court, Capitol
 Park, Thorne, DN8 5TZ – UK • WIRQUIN ROMANIA Bd.
 Metalurgiei nr 78, sector 4, Bucuresti.ROMANIA • WIRQUIN
 IBERICA ZI de Abraveses Pavilhao 8 3515-157 Viseu
 PORTUGAL • WIRQUIN CALAF Poligono Industrial Pla Dels
 Vinyals II C/ La Llum Nº 5-7 08250 Sant Joan De Vilatorrada
 Barcelona, SPAIN • WIRQUIN SOUTH AFRICA Po Box 295
 Somerset East 5850 SOUTH AFRICA • WIRQUIN RUSSIE
 Ul. Pistsova, 50 601110, Kosterevo Vladimir Region RUSSIA

wirquin

Made in FRANCE



wirquin

is committed; discover our
 sustainable development
 report online



www.wirquin.com

30722168



3 375537 220915

219850_A -06/2021



HAUTEUR MANCHON : 165,1 mm

Pré-Découpe
8mm

PLI

PLI

Pré-Découpe
8mm

2mm

1mm

2mm

35mm

LAP : 143mm

4mm

LAIZE OUVERTE : 292 mm