




20

73


1

0.8 0.8 0.8

58

FR Débit : 42 L/min.
Garde d'eau : 30 mm.
EN Flow rate: 42 L/min.
Water seal: 30 mm.
NL Debiet: 42 L/min.
Waterslot: 30 mm.
ES Caudal: 42 L/min.
Estanqueidad: 30 mm.

IT Portata: 42L/min.
Tenuta stagna: 30 mm.
PT Débito: 42 L/min.
Guarda de água: 30 mm.
PL Przepływ: 42 l/min.
Uszczelnienie wodne: 30 mm.
RO Debit: 42 L/min.
Gardă apă: 30 mm.
RU Расход: 42 л/мин.
Гидрозатвор: 30 мм.



PHOTOS ARE NOT CONTRACTUAL



BO30724333_B - 06/2024

www.wirquin.com

WIRQUIN, 11 rue du Château de Bel Air, 44482 Carquefou Cedex, FRANCE
WIRQUIN LTD, Unit 3, Alpha Court, Capitol Park, Thorne, DN8 5TZ, UK
WIRQUIN ROMANIA Bd, Metalurgiei nr 78, sector 4, Bucuresti 041836, ROMANIA
WIRQUIN IBERICA, ZI de Abraveses Pavilhao 8, Viseu 3515-157, PORTUGAL
WIRQUIN CALAF, Poligono Industrial Pla Dels Vinyats II C/ La Llum Nº 5-7,
08250 Sant Joan De Vilatorrada Barcelona, SPAIN
WIRQUIN MANUFACTURING, 2 Brickfields Road, Alexander Park, Kariega,
Eastern Cape 6229, SOUTH AFRICA

essentials
by **wirquin**

FR - SIPHON DE LAVABO laiton chromé - Réglable en hauteur
EN - BASIN TRAP chromed brass - Adjustable in height
NL - WASTAFELSIFON in verchromd messing - Hoogte regelbaar
ES - SIFÓN DE LAVABO latón cromado - Regulable en altura
IT - SIFONE LAVABO OTTONE CROMATO - Regolabile in altezza
PT - SIFÃO DE LAVATÓRIO latão cromado - Regulável em altura
DE - SIPHON FÜR WASCHEBECKEN aus verchromtem Messing -
Höhenverstellbar
PL - SYFON DO UMYWALKI MOSIĄDZ chromowany - Regulowana
wysokość
RO - SIFON PENTRU LAVOAR - Alamă cromată, reglabil în înălțime
RU - СИФОН ДЛЯ РАКОВИНЫ ХРОМИРОВАННАЯ ЛАТУНЬ -
регулируется по высоте
GR - ΣΙΦΟΝΙ ΝΙΠΤΗΡΑ χρωμιωμένος μτρούντζος - ρυθμιζόμενο σε ύψος
BG - СИФОН ЗА МИБКА хромиран месинг - с регулируема височина




RECYCLING INFO 29

Adresses sur quefairedemesdechets.fr

FR Débit : 42 L/mn.
Garde d'eau : 30 mm.
EN Flow rate: 42 L/mn.
Water seal: 30 mm.
NL Debiet: 42 L/min.
Waterslot: 30 mm.
ES Caudal: 42 L/mn.
Estanqueidad: 30 mm.

IT Portata: 42L/min.
Tenuta stagna: 30 mm.
PT Débito: 42 L/mn.
Guarda de água: 30 mm.
PL Przepływ: 42 l/min.
Uszczelnienie wodne: 30 mm.
RO Debit: 42 L/mn.
Gardă apă: 30 mm.
RU Расход: 42 л/мин.
Гидрозатвор: 30 мм.



PHOTOS ARE NOT CONTRACTUAL

30724333



3 375537 24 1606


BO30724333_B - 06/2024

www.wirquin.com

WIRQUIN, 11 rue du Château de Bel Air, 44482 Carquefou Cedex, FRANCE
WIRQUIN LTD, Unit 3, Alpha Court, Capitol Park, Thorne, DN8 5TZ, UK
WIRQUIN ROMANIA Bd, Metalurgiei nr 78, sector 4, Bucuresti 041836, ROMANIA
WIRQUIN IBERICA, Zi de Abraveses Pavilhao 8, Viseu 3515-157, PORTUGAL
WIRQUIN CALAF, Poligono Industrial Pla Dels Vinyats II C/ La Llum Nº 5-7,
08250 Sant Joan De Vilatorrada Barcelona, SPAIN
WIRQUIN MANUFACTURING, 2 Brickfields Road, Alexander Park, Kariega,
Eastern Cape 6229, SOUTH AFRICA

essentials
by **wirquin**

FR - SIPHON DE LAVABO laiton chromé - Réglable en hauteur
EN - BASIN TRAP chromed brass - Adjustable in height
NL - WASTAFELSIFON in verchroomd messing - Hoogte regelbaar
ES - SIFÓN DE LAVABO latón cromado - Regulable en altura
IT - SIFONE LAVABO OTTONE CROMATO - Regolabile in altezza
PT - SIFÃO DE LAVATÓRIO latão cromado - Regulável em altura
DE - SIPHON FÜR WASCHECKEN aus verchromtem Messing -
Höhenverstellbar
PL - SYFON DO UMYWALKI MOSIĄDZ chromowany - Regulowana
wysokość
RO - SIFON PENTRU LAVOAR - Alama cromată, reglabil în înălțime
RU - СИФОН ДЛЯ РАКОВИНЫ ХРОМИРОВАННАЯ ЛАТУНЬ -
регулируется по высоте
GR - ΣΙΦΟΝΙ ΝΙΠΤΗΡΑ χρωμιωμένος μτρούντζος - ρυθμιζόμενο σε ύψος
BG - СИФОН ЗА МИВКА хромиран месинг - с регулируема височина



RECYCLING INFO 29



Adresses sur quefairedemesdechets.fr