








**FR** Pour lavabo d'épaisseur de 1 à 28 mm. Trop-plein extensible.  
**EN** For washbasin thickness from 1 to 28 mm. Extensible overflow.  
**NL** Voor wastafel van 1 tot 28 mm. Uitrekbare overloop.  
**ES** Para lavabo con espesor de 1 a 28 mm. Rebosadero extensible.  
**IT** Per lavabo con spessore da 1 a 28 mm. Troppo pieno estensibile.  
**PT** Para lavatório com espessura de 1 à 28 mm. Respiro extensível.  
**PL** Do umywalk o grubości od 1 do 28 mm. Rozszerzalny przelew.  
**RO** Pentru lavoar cu grosime între 1 - 28 mm. Preaplin extensibil.  
**RU** Для раковин толщиной от 1 до 28 мм. Расширяемый перелив.



PHOTOS ARE NOT CONTRACTUAL



30724256



221413-A-06/2024

[www.wirquin.com](http://www.wirquin.com)

WIRQUIN 11 rue du Château de Bel Air 44482 Carquefou Cedex FRANCE  
WIRQUIN LTD Unit 3, Alpha Court, Capitol Park, Thorne, DN8 5TZ - UK  
WIRQUIN ROMANIA Bd. Metalurgiei nr 78, sector 4, Bucuresti.ROMANIA  
WIRQUIN IBERICA ZI de Abraveses Pavilhao 8 3515-157 Viseu PORTUGAL  
WIRQUIN CALAF - P.I. Pla dels Viriyats II - C/ La Ilum 5-7 - 08250 Sant Joan de Vilatorrada Barcelona - ESPAÑA  
WIRQUIN MANUFACTURING - 2 Brickfields Road, Alexander Park Kariega Eastern Cape, 6229 SOUTH AFRICA

**essentials**  
by **wirquin**



**FR** - INTERCALAIRE DE LAVABO avec trop-plein extérieur  
**EN** - BASIN OVERFLOW for external overflow basin  
**NL** - WASTAFEL TUSSENSTUK met externe overloop  
**ES** - VALVULA LAVABO con rebosadero exterior  
**IT** - TROPO PIENO per lavabo con TP esterno  
**PT** - ACESSÓRIO LAVATÓRIO Respiro exterior  
**PL** - UMYWALKOWY PRZEWÓD z przelewem zewnętrznym  
**RO** - PREAPLIN LAVOAR, pentru preaplin exterior  
**RU** - ПРОКЛАДКА ДЛЯ РАКОВИНЫ установка с внешней стороны раковины



**TRIEZ  
RÉEMPLOYEZ  
RECYCLEZ**

ASSOCIATION OU DISTRIBUTEUR OU DÉCHÈTERIE  
Adresses sur [quefairedemesdechets.fr](http://quefairedemesdechets.fr)