











EASY TO CLEAN: removable trough and pipes accessible with a drain cleaner.
EASY TO INSTALL: integrated tightening tool. Ø43 mm horizontal outlet,
screw fit or solvent weld.
NO ODOURS: 50mm water seal.
SUITABLE WITH SHOWER TRAYS D90: thickness from 0 to 29 mm.



Photos are not contractual

www.wirquin.com

WIRQUIN 11 rue du Château de Bel Air 44482 Carquefou Cedex FRANCE
WIRQUIN LTD Unit 3, Alpha Court, Capitol Park, Thorne, DN8 5TZ - UK
WIRQUIN ROMANIA Bd. Metalurgiei nr 78, sector 4, Bucuresti.ROMANIA
WIRQUIN IBERICA Zi de Abravases Pavilhao 8 3515-157 Viseu PORTUGAL
WIRQUIN CALAF - Pl. Pla Dels Virrats 11 - C/ La Ilum 5-7 -
08250 Sant Joan de Vilatorrada Barcelona - ESPAÑA
WIRQUIN MANUFACTURING - 2 Brickfields Road, Alexander Park
Kariega Eastern Cape, 6229 SOUTH AFRICA



30120662
BO30120662 -C-06/2022

essentials
by **wirquin**

TOURBILLON
SHOWER WASTE D90 ABS DOME HORIZONTAL



Ø90